

§3-227 MUNICIPAL SEWER DEPARTMENT: SEWER USE RATES.

RESIDENTIAL RATES

Residential usage for all domestic use only. The bills for the 12 months beginning each April shall be based on an average of the water consumption billed in January, February and March. The sewage charges for a new residential user who has not established an average for the months of January, February and March, or a user who only has sewer and no water usage shall be charged the following usage:

Single occupancy	- 200 C.F. per month, plus the min. sewer chg.
Double or more occupancy	- 600 C.F. per month, plus the min. sewer chg.
No water usage	- 600 C.F. per month, plus the min. sewer chg.

The Charges are:

**Effective October 2016 Billing:**

Customer Charge of \$18.00 per meter,  
plus \$.03075 per Cubic Feet

**Effective October 2017 Billing:**

Customer Charge of \$19.00 per meter,  
plus \$.03200 per Cubic Feet

**GENERAL SERVICE RATES (Formerly COMMERCIAL)**

General Services Rates are applied to non-residential accounts each month.

The Charges are:

**Effective October 2016 Billing:**

Customer Charge of \$32.00 per meter,  
plus \$.03160 per Cubic Feet

**Effective October 2017 Billing:**

Customer Charge of \$38.00 per meter,  
plus \$.03257 per Cubic Feet

## **LARGE GENERAL SERVICE RATES (formerly INDUSTRIAL)**

Users contributing above allowed limits of SS and BOD as defined below.  
The Charges are:

### **Effective October 2016 Billing:**

- a. Minimum Charge of \$250.00 per meter and,
- b. \$3.145 per 100 Cubic Feet and,
- c. \$1.50 per pound of Biochemical Oxygen Demand (BOD) that is measured to be greater than 200 mg/l and,
- d. \$0.90 per pound of suspended solids (SS) that measured to be greater than 220 mg/l.

### **Effective October 2017 Billing:**

- a. Minimum Charge of \$250.00 per meter and,
- b. \$3.250 per 100 Cubic Feet and,
- c. \$1.50 per pound of Biochemical Oxygen Demand (BOD) ) that is measured to be greater than 200 mg/l and,
- d. \$0.90 per pound of suspended solids (SS) that measured to be greater than 220 mg/l.

The sewer charges c. and d. above are based on observed wastewater flow from the customer using a suitable continuous recording device for measuring concentrations of Biochemical Oxygen Demand (BOD) and Suspended Solids (SS). When BOD and SS are less than 200 mg/l, and 220 mg/l, respectively, charges c. and d. are not billed.

If the additional cost associated with Large General Service wastes are not recovered by the Large General Service rate charges or above surcharges, the City shall have the option to review the effect any user (all classifications) has on the wastewater system and establish adequate charges, if necessary, for the excessive amounts of Biochemical Oxygen Demand, Suspended Solids or other applicable pollutants.

Ord. No. 1101, 11/15/77) (Amended by Ord. Nos. 1144, 11/7/78; 22-80, 9/2/80; 47-81, 12/15/81; 19-83, 8/2/83; 26-85, 11/19/85; 32-87, 12/15/87; 22-88, 12/20/88; 2-93, 2/16/93, Amended by Ord. 36-04, 11/16/2004, Amended by Ord 13-08, 8-5-2008, Amended by Ord 7-10, 5-18-2010, Amended by Ord 6-11, 04-19, 2011, Amended by Ord 2014-14, 05-06-2014, Amended by Ord 2016-14, 8-16-2016)